Getting started on setting your preferences on eMIMSCloud and eMIMSDesktop

Preferences are designed to support the way individuals work – for example, if you want to access the CMI first the majority of the time or you want to default to the Abbreviated PI when you click on a brand.

<i>e</i> MIM	[SCloud	Data	Version: September	2014	Signe	d in as: General (M	Preferences Login IMS Australia) Lleer
Home	Medicines Information	Interactions Checker	Product Identification	Clinical Resources	Patient Care	Handy Links	Help
A		A	Ø	(i)	\$	Ŧ	?

To get started click on the Preferences in top right hand of your screen next to Login

If you are and eMIMSCloud users Once preferences have been set they are colour coded so you can see at a glance who set them and know immediately if you can change them yourself or if you need to contact your system administrator

Organisation Settings Department Settings User Settings Default Settings

RED – **Organisation Settings this** means that the administrator at the organisation has set the preferences for all users and no individual users can change them. This would normally be used by corporate administrators whose user's access eMIMSCloud through a single IP address that then delivers eMIMSCloud across multiple sites

GREEN – Department Settings this means that the administrator at the department level e.g. a corporate customer who has eMIMS delivered to different IP addresses has set the preferences for all users at that site and no individual users can change them.

BLUE – User settings this means individual users of eMIMSCloud i.e. whoever is using a user name and log in and all users of eMIMSDesktop can set their own preferences

Both eMIMSCloud and eMIMSDesktop have the same choice of preferences



Level 2 1 Chandos Street, St Leonards NSW 2065

ACN 050 695 157, ABN 68 050 695 157

Phone +61 2 9902 7770 www.mims.com.au

Preferences	Set your default opening page by choosing from the	
General		drop down
Default Page	Medicines Information	
Drug Search Results		Choose if you want to see the
Show Deleted Products	Include products deleted in the last one year 🚿	× · · · ·
Number of Search Results Per Page	20 🗸	deleted products
Max items per auto-complete category	Show 5 items per category	
Show Indication		 he number of search
Show Images		results
Show MIMSClass Information		
Show PBS Availability		• And use the tick
Show Dose Information		boxes to change the
		amount of dotail in
		uniount of uetui m
		the search results
1 Copyright MIMS Australia Pty Itd		



Changing the amount of detail you see in your search result by unticking all the boxes can change your view from this :-

Search results for <i>I</i>	Atorvastatin	
Need to narrow down? Refin	e your search Didn't find what you want? Try Advanced Search	
Results 1-20 of 42	 1 2 3 () 	
APO-Atorvastatin (Table	ets) (Apolexi	
Use:	HMG-CoA reductase inhibitor. Adjunct to diet in treatment of hypercholesterolaemia; nonfatal ML stroke risk reduction in hypertensive patients with multiple CHD risks. See Section 2(f) headnote	
Dose:	#@. Individualise dose, 10-80 mg once dally, may adjust dose after 4 wks according to response. Primary hypercholesterolaemia, mixed dyslipidaemia: 10 mg/day. Homozygous familial hypercholesterolaemia. Adults: 80 mg/day. Concomitant cyclosporin, telaprevir, tipranavir + ritonavir, max atorvastalin 10 mg. Fusidic acid (see Contra).	
	discontinue atorvastatin, may reintroduce 7 days after last fusidic acid dose	
MIMS Class: Drug Image:	Hypolipidaemic agents APO APO APO APO 10 20 80 40	
PBS:	Restricted - PBS/RPBS, Restricted - PBS/RPBS (NP)	
	Full PI [Abbreviated PI] CMI [MIMS interactions] [IMGateway interactions]	
Atorvachol (Tablets) (As	scent Pharma) 🤨	
Atorvastatin		
Use:	HIG-CoA reductase inhibitor. Adjunct to diet in treatment of hypercholesterolaemia; nonfatal MI, stroke risk reduction in hypertensive patients with multiple CHD risks. See Section 2(f) headnote	Changing the search results still
Dose:	#10: Individualise dose; 10-80 mg once daily; may adjust dose after 4 wixs according to response. Primary hypercholesterolaemia, mixed dyslipidaemia: 10 mg/day. Homozygous familial hypercholesterolaemia. Adults: 80 mg/day. Concomitant cyclosporin, telaprevir, tipranavir + ritonavir: max atorvastatin 10 mg. Fusidic acid (see Contra).	allows you to move quickly to the
	discontinue atorvastatin, may reintroduce 7 days after last fusidic acid dose	
М То	this:-	And still allow you to add medicines straight into the
APO-Atorvas	tatin (Tablets) [Apotex] 🕖	Interaction's checker from here
Atorvastatin		
	Full PI Abbreviated PI CMI MIMS Interactions MGateway Interactions	
Atorvachol (T	Fablets) (Ascent Pharma) 🤨	
	Full PI Abbreviated PI CMI MIMS Interactions MGateway Interactions	
Atorvastatin (GH (Tablets) (Generic Health)	
Atorvastatin		
	Full PI Abbreviated PI CMI MIMS Interactions IMGateway Interactions	
Atorvastatin I	Pfizer (Tablets) (Pfizer) 🗘	
Atorvastatin	Full PI Abbreviated PI CMI MIMS Interactions IMGateway Interactions	
	-	

Another really handy preference to set for yourself is the way you move around from the search. Setting the default landing page once you click on a brand name

Medicines Information	
When click on Product name in auto-complete	Go to monograph 🗸
Display food information on Abbreviated PI	Display symbol only
Default PI	CMI

- When clicking on a Product name in auto complete simply choose form the drop down and you can go to monograph or perform another search
- The way food information is displayed choose just the symbol ± , just the wording or both
- Default PI when you click on a brand name choose the Abbreviated PI, full PI or CMI as your landing page





M There are many other options for you to try and to use and each time you make a change

REMEMBER TO SAVE YOUR CHANGES at the bottom of the page!



You can Reset them from here as well and big arrow will take you straight back to the top of the page

Take some time to change the look and feel of your eMIMS – make it work for you!

Report an Adverse Reaction	
Indiana Information	
When click on Product name in auto-complete	Go to monograph 👻
Display food information on Abbreviated PI	Display symbol only
Default PI	CMI
Interaction	
Preferred Documentation Level	All
Preferred Severity Level	All level 🗸
Clinical Resources	
Disease Index	1 🗸
MIMS Companion	2 🗸
Cardiovascular Risk Chart	3 🗸
CYP450 Drug Interactions	4 🗸
Medications That Should Not Crushed	5 🗸
Infectious Diseases - Exclusion Periods from School	6 🗸
Medicines in Pregnancy	7 🗸
Reference Intervals - Normal Values	8 🗸
Drugs in Sport - WADA Guide	9 🗸
Brand Substitution and Therapeutic Group Premiums	10 🗸
Patient Care	
myDr Medical Images	1 🗸
myDr Patient Handouts	2 🗸
Tools and Calculators	3 🗸
Self Help and Support Groups	4 🗸
Baby Due Date Calculator	5 🗸
Find a Physio	6 🗸
National Immunisation Program Schedule	7 🗸
Obstetric Table	8 🗸

